



ENGATE FLEXÍVEL PARA ÁGUA FRIA

Acoplamiento flexible para agua fría • Flexible for cold water

DIÂMETRO NOMINAL 1/2"

Diametro nominal 1/2" • Nominal diameter 1/2"

PRESSÃO DE SERVIÇO

4 kgf/cm²

Presión de servicio 4 bar

Working pressure 4 bar

SAC 0800.165051

www.astra-sa.com


Contém 1 un.

Contiene 1 unidad • Contains 1 unit



embalagem
empaque / package

Produto não perecível
Validade indeterminada



INSTALAÇÃO • INSTALACIÓN • INSTALATION

Conecte o engate flexível no produto. Em seguida, coloque veda rosca em uma das extremidades do niple e instale-o na parede (1). Finalize a instalação rosqueando a outra extremidade do engate flexível no niple já instalado (2).

Conecte la conexión flexible en el producto. Después, coloque la cinta sellante en una de las extremidades del niple e instale en la pared (1). Finalice la instalación roscando la otra extremidad de la conexión flexible en el niple ya instalado (2).

Connect the flexible water connector to the product. Next, place the teflon tape on one of the nipple extremities and install to the wall (1). Finish installation by screwing the other extremity of the flexible water connector on the installed nipple(2).

Não utilize ferramentas para instalação
No utilizar herramienta • Do not use tool for installation.

EN40/AS - 40 cm



789 1222 142769

ASTRA S/A IND. E COM.
CNPJ: 50.949.528/0001-80
R. Colégio Florence, 59
Jd. Primavera - Jundiá - SP
Fabricado no Brasil
Hecho en Brasil - Made in Brazil

CT.ENAS - SET/2017

