


FICHA TÉCNICA / HOJA TECNICA / TECHNICAL SHEET




Nº	DESCRIÇÃO	DESCRIPCIÓN	DESCRIPTION	MATERIAL	MEDIDAS / MEASURES (MM)	QTD.
21	BASE	BASE	BASE	AGLO.	1800 x 340 x 15	01
22	LATERAL ESQ.	LADO IZQUIERDO	LEFT SIDE	AGLO.	385 x 339 x 12	01
23	LATERAL DIR.	LADO DERECHO	RIGHT SIDE	AGLO.	385 x 339 x 12	01
24	TAMPO	TAPA	TOP	AGLO.	1800 x 380 x 25	01
25	ENCAB. PORTA	ENCABEZADO DE PUERTA	DOOR HEADER	AGLO.	500 x 337 x 12	02
26	VISTA FRONTAL	VISTA FRONTAL	FRONT VIEW	AGLO.	400 x 65 x 15	02
27	DIVISÓRIA ESQ.	DIVISIÓN IZQ.	LEFT DIVISION	AGLO.	385 x 340 x 15	01
28	DIVISÓRIA DIR.	DIVISIÓN DER.	RIGHT DIVISION	AGLO.	385 x 340 x 15	01
29	PORTA	PUERTA	DOOR	MDF	450 x 396 x 15	02
30	PRATELEIRA	ESTANTE	SHELF	AGLO.	784 x 330 x 15	01
31	APOIO PRATELEIRA	SUORTE DE ESTANTE	SHELF SUPPORT	AGLO.	784 x 60 x 15	01
01	FUNDO INFERIOR	FONDO INFERIOR	BOTTOM FUND	HDF	1792 x 195 x 3	01
02	FUNDO SUPERIOR	FONDO SUPERIOR	UPPER FUND	HDF	1792 x 200 x 3	01

CORES / COLORES / COLORS



791 - OFF WHITE / CANELA

795 - GRIGIO FOSCO / CANELA


TEMPO DE MONTAGEM
TIEMPO DE ENSAMBLAJE
ASSEMBLY TIME

FERRAMENTAS NECESSÁRIAS HERRAMIENTAS NECESARIAS REQUIRED TOOLS					
   					
DESCRIÇÃO DE ACESSÓRIOS DESCRIPCIÓN DEL ACCESORIO ACCESSORY DESCRIPTION					
COD.	DESCRIÇÃO	DESCRIPCIÓN	DESCRIPTION	QTD.	DESENHO / DISEÑO / DESIGN
A	CANTONEIRA 2F	ANGULO DE HIERRO 2A	2H SHELF BRACKET	10	
B	SUPORTE ANGULAR	SUPORTE ANGULAR	ANGULAR SUPPORT	6	
C	CAVILHA	TARUGO DE MADEIRA	WOODEN PIN	40	
D	CASTANHA	CIERRES GIROFIX	GIROFIX LOCK	6	
E	CALÇO PARA DOBRADIÇA	CUÑA DE BISAGRA	HINGE SHIM	4	
F	DOBRADIÇA	BISAGRA	HINGE	4	
G	FITA LED	TIRA LED	LED STRIP	1	
H	PARAFUSO 3,5X12 mm	TORNILLO 3,5X12 mm	SCREW 3,5X12 mm	80	
I	PARAFUSO 4,0X25 mm	TORNILLO 4,0X25 mm	SCREW 4,0X25 mm	2	
J	PARAFUSO 4,0X40 mm	TORNILLO 4,0X40 mm	SCREW 4,0X40 mm	8	
K	ACABAMENTO LED	TORNILLO 4,0X50 mm	SCREW 4,0X50mm	2	
L	PINO GIROFIX	PINO GIROFIX	PIN GIROFIX	6	
M	PREGO	CLAVO	NAIL	50	
N	PÉ FRONTAL	PIE DELANTERO	FRONT FOOT	2	
O	PÉ TRASEIRO	PIE TRASERO	BACK FOOT	4	
P	PUXADOR ESQUERDO	TIRADOR IZQUIERDO	LEFT HANDLE	2	
Q	PERFIL H	PERFIL H	PROFILE H	2	
R	FIXADOR DE FUNDO	FIJADOR INFERIOR	BACKGROUND FIXER	5	
S	TAPA FURO	TAPA DEL AGUJERO	HOLE COVER	8	
T	FIXADOR DE FIO	FIJADOR DE CABLES	WIRE FIXER	4	



1º





2º



3º



4º






This diagram illustrates the exploded view of a three-compartment cabinet assembly. The components are labeled as follows:



- 22**: The leftmost cabinet compartment.
- 23**: The top panel for the rightmost compartment, featuring two screws.
- 24**: The main cabinet body, shown in two parts: a front panel and a side panel.
- 25**: The middle cabinet compartment.

Assembly instructions are indicated by letters and arrows:

- C**: Points to the screws used to secure the top panel (23) and the front panel (24) to the cabinet body.
- J**: Points to the joints or slots where the compartments (22, 25) and the front panel (24) are joined together.



8°



9°

